

TABELLA DI RICARICA PER CARABINA

LOADING TABLE FOR RIFLE

BP 06 LIGHT RIFLE BP 07 MEDIUM RIFLE

CLAUSOLA DI ESCLUSIONE DELLE RESPONSABILITÀ
Tutte le presenti informazioni sulla ricarica sono state fornite da Baschieri & Pellagri. I dati qui forniti sono stati ottenuti attraverso test di laboratorio, seguendo rigorosamente le norme della Commissione Internazionale Permanente (C.I.P.). Le dosi massime sono determinate in base ai valori pressori sviluppati e raffrontati con le pressioni massime prescritte da C.I.P. e SAAMI. I metodi con cui sono stati condotti i test sono stati ritenuti sicuri in tutto il mondo. La pressione è misurata sul bossolo in camera di cartuccia in accordo alla norma C.I.P. Non azzardate mai estrapolazioni di alcun genere, usare i dosaggi riportati dalle tabelle seguendo le indicazioni riportate sui manuali più noti e diffusi, non fidarsi di quanto trovato sul WEB, le fonti a volte sono del tutto inaffidabili ed irresponsabili.

DISCLAIMER

All of this reloading information has been provided by Baschieri & Pellagri. The data given here were obtained in laboratory conditions following strictly the CIP (Commission International Permanente) rules. The listed maximum loads have been determined according to the respective CIP/SAAMI maximum pressure specification, whichever is lower. These test methods have been deemed to be safe throughout the world. Pressure is measured in the test barrel chamber according to the CIP.

Do not attempt any extrapolations. Please follow the data as written, following the reloading safety rules of the main and most famous manuals. Do not trust any data found on the web, sometimes the sources are unreliable.

222 Remington

Proiettile/Bullet		Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.
Tipo/Type	Peso/Weight		Tipo/Type	Dose/Grani (grs)		
	Grani (grs) Grammi (g.)		Min. Max.	mm.	Bar	
SP/HP/FMJ	50 3,24	SR	BP 06 22,0 24,0	Max 53,0	3700	
HP Match	52/53 3,36	SR	BP 06 21,5 23,5	Max 53,0	3700	
SP/HP/FMJ	55 3,56	SR	BP 06 21,0 23,5	Max 53,0	3700	

223 Remington

Proiettile/Bullet		Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.
Tipo/Type	Peso/Weight		Tipo/Type	Dose/Grani (grs)		
	Grani (grs) Grammi (g.)		Min. Max.	mm.	Bar	
SP/HP/FMJ	50 3,24	SR/SRM	BP 06 23,0 26,0	Max 57,0	4300	
HP Match	52/53 3,36	SR/SRM	BP 06 22,5 25,0	Max 57,0	4300	
SP/HP/FMJ	55 3,56	SR/SRM	BP 06 22,0 25,5	Max 57,0	4300	
FMJ/HP	62 4,01	SR/SRM	BP 06 21,5 24,5	Max 57,0	4300	
HPBT Match	68/69 4,40/4,47	SR/SRM	BP 06 21,0 23,5	Max 57,0	4300	

22-250

Proiettile/Bullet		Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.
Tipo/Type	Peso/Weight		Tipo/Type	Dose/Grani (grs)		
	Grani (grs) Grammi (g.)		Min. Max.	mm.	Bar	
SP/HP/FMJ	50 3,24	LR	BP 07 33,3 35,5	Max 59,8	4050	
HP Match	52 3,36	LR	BP 07 33,3 35,1	Max 59,8	4050	
SP/HP/FMJ	55 3,56	LR	BP 07 32,0 34,6	Max 59,8	4050	

243 Winchester

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
HP	75	4,86	LR	BP 07	37,9	39,3	Max 67,0	4150
SP/HP	80	5,18	LR	BP 07	36,8	38,8	Max 67,0	4150
SP/HP	85/87	5,50/5,63	LR	BP 07	36,0	38,0	Max 67,0	4150
SP	100	6,48	LR	BP 07	34,0	35,8	Max 67,0	4150

7,62x39 M43

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
FMJ/SP	123	8,00	SR/LR	BP 06	26,0	27,5	Max 54,7	3550

7,5x55 Svizzero

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
SP/HP/FMJ	150	9,72	LR	BP 07	44,0	46,5	74,0/77,0	3800
SP/HP/FMJ	168	10,88	LR	BP 07	42,8	45,3	74,0/77,0	3800
SP/HP/FMJ	175	11,34	LR	BP 07	41,8	44,3	74,0/77,0	3800
SP/HP/FMJ	180	11,66	LR	BP 07	41,0	43,5	74,0/77,0	3800

308 Winchester

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
SP/HP	125	8,1	LR	BP 07	44,7	46,9	69,0/70,0	4150
SP/HP	150	9,72	LR	BP 07	43,5	46,2	69,0/70,0	4150
SP/HP	165	10,69	LR	BP 07	42,8	45,3	69,0/70,0	4150
HPBT Match	168	10,88	LR	BP 07	42,0	44,5	71,0/73,0	4150
SP/HP	180	11,66	LR	BP 07	41,0	43,5	69,0/70,0	4150
HPBT Match	150	9,72	LR	BP 06	42,5	45,0	71,0/73,0	4150
HPBT Match	175	11,34	LR	BP 06	41,3	42,8	71,0/73,0	4150

30/30 WIN.

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
SJFP	150	9,72	LR	BP 07	32,5	35,5	Max 65,3	3200
SJFP	170	11,01	LR	BP 07	31,4	33,9	Max 65,3	3200
SJFP	150	9,72	LR	BP 06	31,8	33,3	Max 65,3	3200
SJFP	170	11,01	LR	BP 06	30,5	33,3	Max 65,3	3200

7,62x54R Russian

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
SP/HP	150	9,72	LR	BP 07	44,0	46,5	Max 72,2	3900
HPBT Match	174	11,27	LR	BP 07	43,0	45,5	Max 72,2	3900
SP/HP	180	11,66	LR	BP 07	42,2	44,3	Max 72,2	3900

30/06 SPRG.

Proiettile/Bullet			Innescol/Primer	Polvere/Powder		OAL indicat.	CIP Max.	
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)		mm.	Bar
	Grani (grs)	Grammi (g.)			Min.	Max.		
SP/HP	125	8,1	LR	BP 07	48,5	50,5	Max 82,0	4050
SP/HP	150	9,72	LR	BP 07	47,5	50,0	Max 82,0	4050
SP/HP	165	10,69	LR	BP 07	47,0	49,0	Max 82,0	4050
HPBT Match	168	10,88	LR	BP 07	47,0	48,5	Max 82,0	4050
SP/HP	180	11,66	LR	BP 07	46,0	48,0	Max 82,0	4050
HPBT Match	175	11,34	LR	BP 07	46,0	48,0	Max 82,0	4050

303 British

Proiettile/Bullet			Innescol/Primer	Polvere/Powder			OAL indicat.	CIP Max.
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)			
	Grani (grs)	Grammi (g.)	Min.		Max.	mm.	Bar	
SP/HP/FMJ	150	9,72	LR	BP 07	38,5	41,5	Max 75,0	3650
HPBT Match	174	11,27	LR	BP 07	37,5	40,5	Max 75,0	3650
SP/HP	180	11,66	LR	BP 07	37,0	39,5	Max 75,0	3650

8x57 JS

Proiettile/Bullet			Innescol/Primer	Polvere/Powder			OAL indicat.	CIP Max.
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)			
	Grani (grs)	Grammi (g.)	Min.		Max.	mm.	Bar	
SP/HP	150	9,72	LR	BP 07	47,5	51,0	Max 76,0	3900
SP/HP/FMJ	175	11,34	LR	BP 07	45,8	48,0	76,0/78,0	3900
SP/HP/FMJ/Match	200	12,96	LR	BP 07	42,5	46,0	76,0/78,0	3900

9,3x62

Proiettile/Bullet			Innescol/Primer	Polvere/Powder			OAL indicat.	CIP Max.
Tipo/Type	Peso/Weight			Tipo/Type	Dose/Grani (grs)			
	Grani (grs)	Grammi (g.)	Min.		Max.	mm.	Bar	
SP	232	15,03	LR	BP 07	57,0	60,0	Max 79,5	3900
SP/HP	250	16,2	LR	BP 07	56,0	59,0	Max 79,5	3900
SP/HP/FMJ	286	18,50	LR	BP 07	55,0	57,5	Max 79,5	3900
SP/HP/FMJ/Match	293	19,00	LR	BP 07	54,5	57,0	Max 79,5	3900

LEGEND

SP = Soft Point (punta in piombo)
 HP = Hollow Point (Match o Caccia)
 FMJ = Full Metal Jacketed
 HPBT = Hollow Point Boat Tail (Match)
 SJFP = Semi Jacketed Flat Point
 (Per serbatoi tubolari/for tubular magazine)
 SR = Small Rifle
 LR = Large Rifle
 SRM = Small Rifle Magnum